

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

BSC | Sales Gallery & Sports Hall

Schedule of Sanitary Wares & Fittings

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Rev. 00

Date: 28th November 2017

Schedule of Sanitary Wares & Fittings

Sales Gallery	Location	Products Code & Description	QTY	Remarks
- Ground Floor	Toilet (Male & Female)	<u>One piece Water Closet</u> RL R-WO9030F Descriptions: RIMLESS One Piece Water Close Trap Distance: S Trap : 150-250mm trap distance or P Trap Material: White Colour ,Vitreous China Flushing: Washdown Dimension: 650 (L) x 370 (W) x 815 (H) mm c/w standard accessories for each set, refer to manufacturer's specification	4	
		<u>Hand Bidet Set + Angle Valve c/w Cross Handle</u> RL SA-LPPR010A Descriptions: Hand Bidet c/w Flexible Hose and Bidet Holder Materials: ABS Chrome Dimension: 35(D) x 55(W) x 125(H)mm RL YT-DL4001 48" flexible hose in stainless steel c/w 2pcs washers RL PA-PLDC010 Bidet holder c/w 2pcs screws and wall plugs RL SA-KB1008X Angle Valve, Cross Handle Brass Chrome	4	
		<u>Semi-recessed Basin (complete set with accessories)</u> RL R-LR8090 Material: White Colour ,Vitreous China Dimension: 500(L) x 450(W) x 185(H)mm c/w standard accessories for each set, refer to manufacturer's specification	4	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sales Gallery - Ground Floor	Toilet (Male & Female)	<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	6	
		<u>Toilet Paper Holder</u> R-PH9305 Paper Holder w cover lid Brass with Polish Chrome s/s cover	4	
		<u>Basin Mixer</u> RL R-MXB8830310 Lever Handle Basin Mixer, Deck Mounted Brass Chrome 115(L) x 138 (H)mm	4	
		<u>Stainless Steel Liquid Soap Dispenser</u> RL SD582530 Stainless Steel Ø64(L) x Ø76(W) x 200(H)mm	2	
		<u>Stainless Steel Wall Mounted Jumbo Toilet Roll Holder</u> RL PH128A Stainless Steel Ø273(L) x 120(W) x 275(H)mm	2	
		<u>Waste Bin</u> RL WR-bp031SS Free Standing Waste Receptacle Stainless Steel Ø345(Dia) x 785(H)mm	2	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

<p>Sales Gallery - Ground Floor</p>	<p>Toilet (Male & Female)</p>	<p><u>Hand Dryer</u> RL AHD-101HD Wall Mounted Jet Airflow Sensor Hand Dryer ABS Casing 300(L) x 220(W) x 687(H)mm Product Specification : <ul style="list-style-type: none"> • Operation Duration : 60 secs. Auto cut off • Voltage Power : 220-240V AC / 50-60Hz • Rated Power : 1900 • Air Temperature : 50-60oC • Motor Type : Induction Type (Brushless) • Motor Speed : 19500 rpm • Motor Activation : Infrared sensor </p>	<p>2</p>	
--	---	--	----------	--

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sales Gallery - Ground Floor	Disabled Toilet	<u>Water Closet</u> RL R-WP 29158FH Handicap Pedestal Water Closet, Back Inlet Flexible S Trap : 65mm or P Trap: 185 mm trap distance White Colour ,Vitreous China Wash Down 625(L) x 390(W) x 440(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>WC Sensor Flush Valve - Concealed Box Type c/w Manual Overriding Push Button Square Front Panel and with AC operated.</u> RL AFS-101CPLST Brass Casting Flush Valve with Stainless Steel Satin Finish Panel 180(L) x 180(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>Handicap Basin Set</u> RL R-LH5141 White Colour ,Vitreous China 600(L) x 485(W) x 200(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>Long Lever Handle Basin Cold Tap, Deck Mounted</u> RL SA-KB119L Brass Chrome 140(L) x Ø50(W) x 185(H)mm	1	
		<u>Stainless Steel Wall Mounted Grab Bar & Grab Rail set</u> a. Swing up Grab Bar RL GB-800 Stainless Steel 800(L) x 105(W) x 300(H) x Ø32(Dia)mm b. Wall to Wall L Shaped Grab Bar RL GB14	1	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

<p>Sales Gallery - Ground Floor</p>	<p>Disabled Toilet</p>	<p>700(L) x 700(H) x Ø38(Dia)mm</p> <p>c. Vertical Grab Bar RL GB-2 600(L) x Ø38(Dia)mm</p> <p><u>Hand Bidet Set + Angle Valve c/w Cross Handle</u> RL SA-LPPR010A Descriptions: Hand Bidet c/w Flexible Hose and Bidet Holder Materials: ABS Chrome Dimension: 35(D) x 55(W) x 125(H)mm RL YT-DL4001 48" flexible hose in stainless steel c/w 2pcs washers RL PA-PLDC010 Bidet holder c/w 2pcs screws and wall plugs RL SA-KB1008X Angle Valve, Cross Handle Brass Chrome</p> <p><u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm</p> <p><u>Stainless Steel Liquid Soap Dispenser</u> RL SD582530 Stainless Steel Ø64(L) x Ø76(W) x 200(H)mm</p> <p><u>Stainless Steel Wall Mounted Jumbo Toilet Roll Holder</u> RL PH128A Stainless Steel Ø273(L) x 120(W) x 275(H)mm</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p>	
--	------------------------	--	-------------------------------------	--

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sales Gallery - Ground Floor	Disable Toilet	<u>Waste Bin</u> RL WR-bp031SS Free Standing Waste Receptacle Stainless Steel Ø345(Dia) x 785(H)mm	1	
		<u>Hand Dryer</u> RL AHD-101HD Wall Mounted Jet Airflow Sensor Hand Dryer ABS Casing 300(L) x 220(W) x 687(H)mm Product Specification : <ul style="list-style-type: none"> • Operation Duration : 60 secs. Auto cut off • Voltage Power : 220-240V AC / 50-60Hz • Rated Power : 1900 • Air Temperature : 50-60oC • Motor Type : Induction Type (Brushless) • Motor Speed : 19500 rpm • Motor Activation : Infrared sensor 	1	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

	Location	Products Code & Description	QTY	Remarks
Sales Gallery - Lower Ground Floor	Toilet (Male & Female)	<u>One piece Water Closet</u> RL R-WO9030F Descriptions: RIMLESS One Piece Water Close Trap Distance: S Trap : 150-250mm trap distance or P Trap Material: White Colour ,Vitreous China Flushing: Washdown Dimension: 650 (L) x 370 (W) x 815 (H) mm c/w standard accessories for each set, refer to manufacturer's specification	4	
		<u>Hand Bidet Set + Angle Valve c/w Cross Handle</u> RL SA-LPPR010A Descriptions: Hand Bidet c/w Flexible Hose and Bidet Holder Materials: ABS Chrome Dimension: 35(D) x 55(W) x 125(H)mm RL YT-DL4001 48" flexible hose in stainless steel c/w 2pcs washers RL PA-PLDC010 Bidet holder c/w 2pcs screws and wall plugs RL SA-KB1008X Angle Valve, Cross Handle Brass Chrome	4	
		<u>Semi-recessed Basin (complete set with accessories)</u> RL R-LR8090 Material: White Colour ,Vitreous China Dimension: 500(L) x 450(W) x 185(H)mm c/w standard accessories for each set, refer to manufacturer's specification	4	
		<u>Toilet Paper Holder</u> R-PH9305 Paper Holder w cover lid Brass with Polish Chrome s/s cover	4	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sales Gallery - Lower Ground Floor	Toilet (Male & Female)	<u>Basin Mixer</u> RL R-MXB830310 Lever Handle Basin Mixer, Deck Mounted Brass Chrome 115(L) x 138 (H)mm	4	
		<u>Stainless Steel Liquid Soap Dispenser</u> RL SD582530 Stainless Steel Ø64(L) x Ø76(W) x 200(H)mm	2	
		<u>Stainless Steel Wall Mounted Jumbo Toilet Roll Holder</u> RL PH128A Stainless Steel Ø273(L) x 120(W) x 275(H)mm	2	
		<u>Waste Bin</u> RL WR-bp031SS Free Standing Waste Receptacle Stainless Steel Ø345(Dia) x 785(H)mm	2	
		<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	6	
		<u>Hand Dryer</u> RL AHD-101HD Wall Mounted Jet Airflow Sensor Hand Dryer ABS Casing 300(L) x 220(W) x 687(H)mm Product Specification : • Operation Duration : 60 secs. Auto cut off	2	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sports Hall - Ground Floor	Toilet (Male & Female)	<u>One piece Water Closet</u> RL R-WO9030F Descriptions: RIMLESS One Piece Water Close Trap Distance: S Trap : 150-250mm trap distance or P Trap Material: White Colour ,Vitreous China Flushing: Washdown Dimension: 650 (L) x 370 (W) x 815 (H) mm c/w standard accessories for each set, refer to manufacturer's specification	6 (2+4)	
		<u>Hand Bidet Set + Angle Valve c/w Cross Handle</u> RL SA-LPPR010A Descriptions: Hand Bidet c/w Flexible Hose and Bidet Holder Materials: ABS Chrome Dimension: 35(D) x 55(W) x 125(H)mm RL YT-DL4001 48" flexible hose in stainless steel c/w 2pcs washers RL PA-PLDC010 Bidet holder c/w 2pcs screws and wall plugs RL SA-KB1008X Angle Valve, Cross Handle Brass Chrome	6 (2+4)	
		<u>Semi-recessed Basin (complete set with accessories)</u> RL R-LR8090 Material: White Colour ,Vitreous China Dimension: 500(L) x 450(W) x 185(H)mm c/w standard accessories for each set, refer to manufacturer's specification	8 (4+4)	
		<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	17 (8+9)	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sports Hall - Ground Floor	Toilet (Male & Female)	<u>Toilet Paper Holder</u> R-PH9305 Paper Holder w cover lid Brass with Polish Chrome s/s cover	6 (2+4)	
		<u>Self Closing Basin Pillar Tap</u> RL SCT-101 Soft-Activation Self-Closing Tap, Deck Mounted Brass Chrome 140(L) x Ø50(W) x 150(H)mm	8 (4+4)	
		<u>Stainless Steel Liquid Soap Dispenser</u> RL SD582530 Stainless Steel Ø64(L) x Ø76(W) x 200(H)mm	4 (2+2)	
		<u>Urinal c/w Flush Valve</u> RL AFS-522LT Wall Hung Urinal Integrated with Sensor Vitreous China 395(L) x 405(W) x 905(H)mm c/w standard accessories for each set, refer to manufacturer's specification	4	
		<u>Shower Rose Set c/w Mixer</u> a. <u>Concealed Shower Mixer w/o Diverter , Lever Handle</u> RL R-MXB830950 Concealed Shower Mixer w/o Diverter , Lever Handle Brass Chrome Ø160(L) x 135.9(W)mm b. <u>Sliding Rail c/w Hand Shower</u> RL PA-AT5080 ABS Chrome c. <u>Shower Outlet & Holder</u>	8 (4+4)	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

<p>Sports Hall - Ground Floor</p>	<p>Toilet (Male & Female)</p>	<p>RL PA-HPBK001 Shower Outlet and Holder Brass Chrome</p> <p><u>Stainless Steel Wall Mounted Jumbo Toilet Roll Holder</u> RL PH128A Stainless Steel Ø273(L) x 120(W) x 275(H)mm</p> <p><u>Waste Bin</u> RL WR-bp031SS Free Standing Waste Receptacle Stainless Steel Ø345(Dia) x 785(H)mm</p> <p><u>Hand Dryer</u> RL AHD-101HD Wall Mounted Jet Airflow Sensor Hand Dryer ABS Casing 300(L) x 220(W) x 687(H)mm Product Specification : <ul style="list-style-type: none"> • Operation Duration : 60 secs. Auto cut off • Voltage Power : 220-240V AC / 50-60Hz • Rated Power : 1900 • Air Temperature : 50-60oC • Motor Type : Induction Type (Brushless) • Motor Speed : 19500 rpm • Motor Activation : Infrared sensor </p>	<p>2</p> <p>2</p> <p>2</p>	
<p>Sports Hall - Ground Floor</p>	<p>Disabled Toilet</p>	<p><u>Water Closet</u> RL R-WP 29158FH Handicap Pedestal Water Closet, Back Inlet Flexible S Trap : 65mm or P Trap: 185 mm trap distance White Colour ,Vitreous China Wash Down 625(L) x 390(W) x 440(H)mm</p>	<p>1</p>	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sports Hall - Ground Floor	Disabled Toilet	c/w standard accessories for each set, refer to manufacturer's specification <u>WC Sensor Flush Valve - Concealed Box Type c/w Manual Overriding Push Button Square Front Panel and with AC operated.</u> RL AFS-101CPLST Brass Casting Flush Valve with Stainless Steel Satin Finish Panel 180(L) x 180(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>Handicap Basin Set</u> RL R-LH5141 White Colour ,Vitreous China 600(L) x 485(W) x 200(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>Long Lever Handle Basin Cold Tap, Deck Mounted</u> RL SA-KB119L Brass Chrome 140(L) x Ø50(W) x 185(H)mm	1	
		<u>Stainless Steel Wall Mounted Grab Bar & Grab Rail set</u> <ol style="list-style-type: none"> a. Swing up Grab Bar RL GB-800 Stainless Steel 800(L) x 105(W) x 300(H) x Ø32(Dia)mm b. Wall to Wall L Shaped Grab Bar RL GB14 700(L) x 700(H) x Ø38(Dia)mm c. Vertical Grab Bar RL GB-2 600(L) x Ø38(Dia)mm 	1	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sports Hall - Ground Floor	Disabled Toilet	<u>Hand Bidet Set + Angle Valve c/w Cross Handle</u> RL SA-LPPR010A Descriptions: Hand Bidet c/w Flexible Hose and Bidet Holder Materials: ABS Chrome Dimension: 35(D) x 55(W) x 125(H)mm RL YT-DL4001 48" flexible hose in stainless steel c/w 2pcs washers RL PA-PLDC010 Bidet holder c/w 2pcs screws and wall plugs RL SA-KB1008X Angle Valve, Cross Handle Brass Chrome	1	
		<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	1	
		<u>Stainless Steel Liquid Soap Dispenser</u> RL SD582530 Stainless Steel Ø64(L) x Ø76(W) x 200(H)mm	1	
		<u>Stainless Steel Wall Mounted Jumbo Toilet Roll Holder</u> RL PH128A Stainless Steel Ø273(L) x 120(W) x 275(H)mm	1	
		<u>Waste Bin</u> RL WR-bp031SS Free Standing Waste Receptacle Stainless Steel Ø345(Dia) x 785(H)mm	1	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Sports Hall - Ground Floor	Disabled Toilet	<u>Hand Dryer</u> RL AHD-101HD Wall Mounted Jet Airflow Sensor Hand Dryer ABS Casing 300(L) x 220(W) x 687(H)mm Product Specification : <ul style="list-style-type: none"> • Operation Duration : 60 secs. Auto cut off • Voltage Power : 220-240V AC / 50-60Hz • Rated Power : 1900 • Air Temperature : 50-60oC • Motor Type : Induction Type (Brushless) • Motor Speed : 19500 rpm • Motor Activation : Infrared sensor 	1	
	Retail	<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	1	

	Location	Products Code & Description	QTY	Remarks
Sports Hall - Mezzanine Floor	Surau (Male & Female)	<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	2	
		<u>Bib Tap</u>	4	

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

	Location	Products Code & Description	QTY	Remarks
Miscellaneous	Guard House Toilet	<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	1	
		<u>One piece Water Closet</u> RL R-WO9030F Descriptions: RIMLESS One Piece Water Close Trap Distance: S Trap : 150-250mm trap distance or P Trap Material: White Colour ,Vitreous China Flushing: Washdown Dimension: 650 (L) x 370 (W) x 815 (H) mm c/w standard accessories for each set, refer to manufacturer's specification	1	
		<u>Semi-recessed Basin (complete set with accessories)</u> RL R-LR8090 Material: White Colour ,Vitreous China Dimension: 500(L) x 450(W) x 185(H)mm c/w standard accessories for each set, refer to manufacturer's specification	1	
	Refuse Room	<u>Floor Trap</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	1	
<u>Bib Tap</u>		1		

CADANGAN MEMBINA BANGUNAN SEMENTARA (GALERI PAMERAN DAN DEWAN SUKAN) 2 TINGKAT, 1 UNIT KEBUK SAMPAH, 1 UNIT PONDOK PENGAWAL DAN 1 UNIT PENCAWANG ELEKTRIK (JENIS PADAT), DI ATAS PT29736, BANDAR SERI COALFIELDS, MUKIM IJOK, DAERAH KUALA SELANGOR, SELANGOR DARUL EHSAN.

UNTUK
TETUAN KL-KEPONG COUNTRY HOMES SDN. BHD.

Miscellaneous	Outdoor (Drain Outlet)	<u>Drain Outlet</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	25	
	Outdoor shower area (Pool)	<u>Drain Outlet</u> RL FT-HFK8164PA Floor Drain Stainless Steel 150(L) x 150(W)mm	2	
		<u>Shower Head</u>	2	
		<u>Shower Mixer</u>	2	